JOURNAL OF PHYSICAL ORGANIC CHEMISTRY, VOL. 12 (1999)

CONTENTS

VOLUME 12 NUMBERS 1–12

NUMBER 1

Effects of anionic micelles on intramolecular general base-catalysed aminolysis of ionized phenyl salicylate (PS^-)
M. N. Khan 1

Semiempirical computational assessment of porphyrins as building blocks for molecule-based magnets: spin–spin coupling in radical-substituted metalloporphyrins
D. A. Schultz and K. A. Sandberg 10

Elimination kinetics of β-hydroxynitriles in the gas phase
G. Chuchani, R. M. Dominguez, A. Rotinov, J. Quijano, C. Valencia, B. Vincente and D. Franco 19

PM3 study of the domino reaction of nitroalkenes with silyl enol ethers
L. R. Domingo, M. T. Picher and J. Andrés 24

Role of micellar inclusion in the photochemistry of 2-pyridyl phenyl ketone. A steady-state and laser flash photolytic study
F. Ortica, F. Elisei and G. Favaro 31

Deprotonation of 1-(carbethoxyalkyl)pyridinium halides with strong N-bases
Z. Dega-Szafran, G. Schroeder and M. Szafran 39

Photochemical reactions of T_1 benzopyranthione in 3-methylpentane
J. Kozłowski, A. Maciejewski, M. Milewski and W. Urjasz 47

Theoretical design of high-spin organic molecules with two-center, three-electron spin-containing units
P. Zhang, P. M. Lahti and R. Wang 53

Theoretical study of the molecular mechanism of the domino pathways for squarate ester sequential reactions
M. Oliva, L. R. Domingo, V. S. Safont, J. Andrés, R. Castillo and V. Moliner 61

Synthesis and structural study of esters derived from 2-methyl-2-azabicyclo[2.2.2]octan-6-*syn*(*anti*)-ols by NMR spectroscopy and x-ray crystallography
M. J. Fernández, R. Huertas, M. S. Toledano, E. Gálvez, F. H. Cano, I. Fonseca and J. Sanz-Aparicio 69

NUMBER 2

Kinetics and mechanism of oxidation of nitrilotriacetic acid by diperiodatoargentate(III)
A. Kumar and P. Kumar 79

Substituent induced polarization of charge in phenalenyl anions
J. T. M. van Dijk, S. A. Steggerda, J. Lugtenburg and J. Cornelisse 86

Conformational analysis of the isomers of lewisite
J. J. Urban and R. L. von Tersch 95

Determination of physical parameters of weak organic bases: hydroxamic acids
M. A. Agrawal, J. Harjit and R. Pande 103

Solute–solvent and solvent–solvent interactions in binary solvent mixtures. Part 8. The $E_T(30)$ polarity of binary mixtures of formamides with hydroxylic solvents
K. Herodes, I. Leito, I. Koppel and M. Rosés 109

Mechanisms of elimination and substitution reactions. Spontaneous solvolysis reactions via carbanion and carbocation intermediates
Q. Meng, B. Du and A. Thibblin 116

Molecular mechanics (MM3) study of the lactones of *endo*-bicyclo[2.2.2]oct-5-ene-2-carboxylic acid
S. C. Kulkarni and N. L. Allinger 123

Rates and pH-dependent product distributions of the $CuCl_2$-catalyzed dediazoniation of *p*-nitrobenzenediazonium tetrafluoroborate in aqueous acid
C. Bravo-Díaz, L. S. Romsted, M. Harbowy, M. E. Romero-Nieto and E. Gonzalez-Romero 130

Scanning near-field optical microscopy by near-field reflectance enhancement: a versatile and valid technique
G. Kaupp and A. Herrman 141

Quantum mechanical evaluation of the anodic oxidation of phenolic compounds
I. Vedernikova, J. P. Tollenaere and A. Haemers 144

Coefficient of determination in some atypical situations: use in chemical correlation analysis
O. Exner and K. Zvára 151

Disorder as adaptation of the crystal structure to increase the crystallization temperature. X-ray crystal structure of the host–guest complexes between 1,1′-binaphthyl-2,2′-dicarboxylic acid and dimethyl sulphoxide obtained at 50 and 60°C
K. K. Makhkamov, B. T. Ibragimov, E. Weber and K. M. Beketov 157

SHORT COMMUNICATION
Laser flash photolysis of 3-noradamantyl(phenyl)diazomethane: generation, detection and kinetics of 2-phenyladamantene
K. Hirai, H. Tomioka, T. Okazaki, K. Tokunage, T. Kitagawa and K. Takeuchi 165

NUMBER 3

Dimer formation of a stilbene sulfonic acid salt in aqueous solution
J. Alsins, M. Björling, I. Furo and V. Egle 171

Molecular orbital study of the conformational energies ($-\Delta G^\circ$ or A values) of 2-alkyltetrahydro-2*H*-thiopyrans (tetrahydrothiopyrans, thiacylohexanes, thianes)
F. Freeman, A. Phornvoranunt and W. J. Hehre 176

Effects of CH_3CN-H_2O and CH_3CN solvents on rate of reaction of phthalimide with piperidine
M. N. Khan 187

Kinetic studies on oxidations of leucomethylene blue and leucothionine by iron(III) in aqueous solution
Y. Liu, S. Yamamoto and Y. Sueishi 194

Gas-Phase elimination kinetics of ethyl, isopropyl, and *tert*-butyl *N,N*-diethylcarbamates. Application of Taft–Topsom correlation for substituents other than carbon at the acid side of organic ethyl esters
A. Herize, R. M. Dominguez, A. Rotinov, O. Nuñez and G. Chuchani 201

Characterization of solvent mixtures. Part 8—Preferential solvation of chemical probes in binary solvent systems of a polar aprotic hydrogen-bond acceptor solvent with acetonitrile or nitromethane. Solvent effects on aromatic nucleophilic substitution reactions
P. M. E. Mancini, A. Terenzani, C. Adam, A. Pérez and L. R. Vottero 207

Hydroxyl radical-induced oxidation of azo dyes: a pulse radiolysis study
S. Padmaja and S. A. Madison 221

Quantitative comparison of the effect of methyl d-glycopranosides as consolutes on the rates of base hydrolysis and aquation of some iron(II)-diimine complexes
S. P. Milde, M. J. Blandamer, J. Burgess, J. B. F. N. Engberts, S. A. Galema and C. D. Hubbard 227

Steric trends and kinetic parameters for radical reductions involving alkyldiphenyltin hydrides
D. Dakternieks, D. J. Henry and C. H. Schiesser 233

Reaction of methoxide ion with the *z* and *E* isomers of *O*-methylbenzohydroximoyl cyanide. Theoretical calculations on the conformations of the tetrahedral intermediate
J. E. Johnson, I. Jano and M. A. McAllister 240

Hydrogen bonding association of a ruthenium(II) bipyridine barbituric acid guest to complimentary 2,6-diaminopyridine amine hosts: guidelines for designing high binding hydrogen bonding cavities in both high and low-polarity solvents
A. S. Salameh, T. Ghaddar and S. S. Isied 247

SHORT COMMUNICATIONS
Intrinsic barriers for imbalances versus balanced transition structures
I. Lee, C. K. Kim and C. K. Kim 255

Origins of non-perfect synchronization in the lowest energy path of the identity proton tranfer reaction of allyl anion + propene: a VBSCF study
N. Harris, W. Wei, W. H. Saunders, Jr and S. Shaik 259

NUMBER 4

REVIEW COMMENTARIES
The inductive effect: theory and quantitative assessment
O. Exner 265

The nature of electrical effect transmission
M. Charton 275

Inductive substituent effects
V. I. Galkin 283

REVIEW SUMMARY

The inductive effect – the present position
O. Exner, M. Charton and V. Galkin 289

RESEARCH ARTICLES

Association of *p*-toluyldimethylglycine in water
A. D. Headley and S. D. Starnes 290

Hydrogen bonding interactions between starburst dendrimers and several molecules of biological interest
M. Santo and M. A. Fox 293

Attempting to grade phase transfer catalysts
R. C. Srivastava, R. Sahney, S. Upadhyay and R. L. Gupta 308

Low temperature (120 K) structure and vibrational spectrum of protonated proton sponge: the adduct of 1,8-bis(dimethylamino)naphthalene (DMAN) with 4,5-dicyanoimidazole (DCI)
E. Grech, Z. Malarski, W. Sawka-Dobrowolska and L. Sobczyk 313

Application of correlation interaction coefficients. Part 1. Structure–reactivity relationship of phenylethyl arenesulfonates under high pressure
S.-D. Yoh, H.-Y. Park, D.-Y. Cheong, J.-H. Park, Y.-D. Lee and K.-T. Howang 319

Kinetics of the pH-independent hydrolysis of 4-nitrophenyl chloroformate in aqueous micellar solutions: effects of the charge and structure of the surfactant
S. Possidonio, F. Siviero and O. A. El Seoud 325

Metal reduction of di- and trisubstituted styrylbenzenes: formation of the highly charged tetra- and hexaanions
R. Benshafrut, M. Rabinovitz, Z. Dee-Noor-Barzilay and A. de Meijere 333

Kinetics and mechanism of oxidation of 1,10-phenantrholine by alkaline permaganate
R. G. Panari, A. L. Harihar and S. T. Nandibewoor 340

Kinetics of the reaction of 2-chloro-3-nitro- and 2-chloro-5-nitropyridines with aryloxide ions in methanol
Ali A. El-Bardan 347

SHORT COMMUNICATION

Selective formation of glycyglycine by dehydration of glycine adsorbed on silica gel
H. Ogawa, T. Fujigaki and T. Chihara 354

NUMBER 5

Imine exchange in *O*-aryl and *O*-alkyl oximes as a base reaction for aqueous 'dynamic' combinatorial libraries. A kinetic and thermodynamic study
V. A. Polyakov, M. I. Nelen, N. Nazarpack-Kandlousy, A. D. Ryabov and A. V. Eliseev 357

Observation of microscopic patterning at the air/water interface by mixtures of amphiphilic cyclodextrins: a compression isotherm and Brewster angle microscopy study
M. Munoz, R. Deschenaux and A. W. Coleman 364

Reactivity of polyenes in solid-state autoxidation
E. I. Finkelshtein, I. S. Krasnokutskaya and L. A. Vakulova 370

Medium effects on the dimerization of coproporphyrin-I free base
H. Morales-Rojas and A. K. Yatsimirsky 377

Photoelectron spectroscopy of lactams
I. Novak and W. Huang 388

Dual-parameter correlation analysis of UV spectral data for 1-methyl-2-formyl-5-Y-substituted pyrroles and their hydrazones. First observation of a dominant polar effect
R. H.-Y. He and X.-K. Jiang 392

Conformational preferences and intramolecular interactions of myo-inositol hexakisphosphoric acid by ^{1}H and ^{31}P NMR studies
G. Paton, M. Noailly and J. C. Mossoyan 401

Analysis of substituent effects on the carbon-13 and oxygen-17 NMR chemical shifts of some phenylthiophen-2′-ylmethanones by linear free energy relationships
R. Noto, M. Gruttadauria, S. Chimichi, G. Petrillo and D. Spinelli 408

NUMBER 6

REVIEW COMMENTARY

Are weak interactions responsible for kinetic catalytic behaviour in S_NAr reactions?
L. Forlani 417

RESEARCH ARTICLES

Kinetics and mechanism of the pyridinolysis of benzenesulfonyl chlorides in methanol
S. W. Hong, H. J. Koh and I. Lee 425

Solvent effects on aromatic nucleophilic substitution reactions. Part 9. Special kinetic synergistic behavior in binary solvent mixtures
P. M. E. Mancini, A. Terenzani, C. Adam and L. R. Vottero 430

***Ab initio* studies on the structures and thermodynamic functions of phenanthrene and anthracene**
X.-D. Gong and H.-M. Xiao 441

Quantum similarity approach to LFER: substituent and solvent effects on the acidities of carboxylic acids
R. Ponec, L. Amat and R. Carbó-Dorca 447

Synthesis and structural studies of symmetric and unsymmetric adamantylmethyleneazines
D. Sanz, M. A. Ponce, R. M. Claramunt, C. Fernández-Castaño, C. Foces-Foces and J. Elguero 455

^{1}H, ^{13}C, ^{15}N NMR and IR studies of halogen substituted tetrazolo[1,5-*a*] pyridines
P. Cmoch, H. Korczak, L. Stefaniak and G. A. Webb 470

Theoretical studies on the iminium ion-forming reaction
C. K. Kim, I. Y. Lee, C. K. Kim and I. Lee 479

Acid–base equilibria in Mannich bases assessed by UV absorption spectroscopy
M. Przesławska, A. Koll and M. Witanowski 486

Effects of reactive and non-reactive counterion surfactants upon acid hydrolysis of hydroxamic acids
K. K. Ghosh, A. Pandey and S. Roy 493

1:1 crystal complexes of 2′,6′-dimethoxyflavone with trichloroacetic and chloroacetic acids, correlation between pK_a values and x-ray hydrogen bond data
E. Espinosa, E. Molins, C. Miravitlles and J.-C. Wallet 499

Reactivity and stability of aromatic carbonyl compounds using density functional theory-based local and global reactivity descriptors
R. K. Roy, K. Choho, F. De Proft and P. Geerlings 503

Forthcoming papers 510

NUMBER 7

REVIEW COMMENTARY
Unravelling seemingly complex chemistry of reactions using electrospray ionization mass spectrometry
R. Bakhtiar and C. E. C. A. Hop 511

Molecular mechanics (MM3) study of organogermanes
K.-H. Chen and N. L. Allinger 528

Complexation of phenols with β- and γ-cyclodextrins: determination of the association constants by using the isomerization of spiropyran
Y. Sueishi and T. Mayakawa 541

Unusual solvatochromism of the 4,4′-bis(dimethylamino)benzophenone (Michler's ketone)–tetracyanoethene electron donor–acceptor complex
S. Spange, E. Vilsmeier, S. Adolph and A. Fährmann 547

Synthesis of podands bearing aromatic end groups and complex formation with tropylium tetrafluoroborate in 1,2-dichloroethane
M. Lamsa, K. Raitamaa and J. Pursiainen 557

γ-Silyl stabilized tertiary ions? Solvolysis of 4-(trimethylsilyl)-2-chloro-2-methylbutane
L. J. Tilley and V. J. Shiner, Jr 564

Synthesis and conformation of dipeptide taste ligands containing *homo*-β-amino acid residues
C. Isernia, E. Bucci, L. De Napoli, P. Di Lello, R. Iacovino, D. Montesarchio, G. Piccialli, F. Rossi, M. Saviano and E. Benedetti 577

NUMBER 8

REVIEW COMMENTARY
Singlet and triplet states in the reactions of nitrenium ions
D. E. Falvey 589

RESEARCH ARTICLES
Proton affinity of some substituted naphthalenes
M. Eckert-Maksić, I. Antol, M. Klessinger and Z. B. Maksić 597

Kinetics of electroinitiated polymerization of acrylonitrile mediated by titanium(III)–dimethyl glyoxime redox system
B. S. Sherigara, M. P. Yoshoda and Padmalatha 605

Pyrolysis kinetics of 2-phenoxycarboxylic acids in the gas phase
G. Chuchani, R. M. Dominguez, A. Rotinov and I. Martin 612

Kinetic effect of pressure on Michael and Diels–Alder reactions in aqueous solutions
G. Jenner 619

Kinetics and mechanism of reaction of substituted *O*-benzoylamidoximes with sodium methoxide in methanol
L. Dušek, J. Kaválek and V. Štěrba 626

Effect of substituents on the formation of isomeric isoxazolo heterocycles: rationalization by semi-empirical PM3 molecular orbital calculations
W. M. F. Fabian, K. Schweiger and R. Weis 635

Using theoretical descriptors in linear free energy relationships: characterizing several polarity, acid and basicity scales
G. R. Famini and L. Y. Wilson 645

Kinetics and mechanism of pyrolysis of sulphonyl hydrazones and oximes. Part 2—Structural effects and molecular reactivity
N. A. Al-Awadi, M. H. Elnagdi, K. Kaul, S. Ilingovan and O. M. E. El-Dusouqui 654

A third type of alkylamines possessing high nitrogen inversion–rotation barriers
A. M. Belostotskii and A. Hassner 659

Forthcoming papers 664

NUMBER 9

A caveat on the oxidation of 2,8-diphenyl-1,9,10-anthyridine to 2,8-diphenyl-5(10*H*)-1,9,10-anthyridone
N. N. L. Madhavi, P. Senthivel and A. Nangia 665

Silylation of substituted benzhydroxamic acids; NMR spectra (^{13}C, ^{15}N and ^{29}Si) and structure of *tert*-butyl-dimethylsilyl derivatives
J. Schraml, M. Kvičalová, L. Soukupová, V. Blechta and O. Exner 668

Solubility of gases and vapours in propan-1-ol at 298 K
M. H. Abraham, J. Le, W. E. Acree, Jr and P. W. Carr 675

Photochemistry and photophysics of small heterocyclic molecules: III. Continuous wave CO_2 laser chemistry of ethylene oxide
A. Sandoski and J. J. BelBruno 681

Reactivity and reaction pathways of alkylalkoxybenzene radical cations. Part 2. Effects of 2-alkyl substituents on the relative importance of deprotonation over de-*tert*-butylation of 2-alkyl-5-*tert*-butyl-1,4-dimethoxybenzene
C.-X. Zhao, Y.-F. Gong, H.-Y. He and X.-K. Jiang 688

Alkali and alkaline-earth cations complexation and transport properties by tetraphenylketone of *p-tert*-butyldihomooxacalix[4]arene
P. M. Marcos, J. R. Ascenso, M. A. P. Segurado and J. L. C. Pereira 695

Photosensitized oxygenation of some benzyl sulfides. The role of persulfoxide
S. M. Bonesi, M. Freccero and A. Albini 703

Effect of structure on reactivity in oxime formation of benzaldehydes
M. Calzadilla, A. Malpica and T. Cordova 708

Characterization of solvent mixtures: preferential solvation of chemical probes in binary solvent mixtures of polar hydrogen-bond acceptor solvents with polychlorinated co-solvents
P. M. Mancini, A. Terenzani, C. Adam, A. del C. Pérez and L. R. Vottero 713

NMR spectroscopic and *ab initio* MO study of sterically hindered 2,3-disubstituted quinoxalines
E. Kleinpeter, L. Hilfert and A. Koch 725

Forthcoming papers 734

NUMBER 10

Effect of coaggregate formation on the fluorescence quenching of anthracene derivatives by *m*-*N*,*N*-diethylaminophenyl carboxylates with different chain lengths as quenchers
J.-L. Shi, Z.-H. Qiu and X.-K. Jiang 735

Hydrogen as a migrating group in some pinacol rearrangements: A DFT study
W. B. Smith 741

Kinetics and mechanism of aminolysis of aliphatic esters in aprotic solvents
A.-T. Talvik, A. Tuulmets and E. Vaino 747

Carboxylic acid ionization constants by ^{19}F NMR spectroscopy
S. E. Boiadjiev and D. A. Lightner 751

Reduction of *o*-iodosobenzoate ion by sulfides and its oxidative regeneration
C. A. Bunton, H. J. Foroudian and N. D. Gillitt 758

Photoelectron spectroscopy of natural products. Part 1. Polypodanes
L. H. D. Nguyen, L. J. Harrison, I. Novak and A. W. Potts 765

Understanding the volume–solubility dependence: the mobile order and disorder view
P. Ruelle 769

4-Nitropyrazole: a nitrogen or an oxygen base in the gas phase?
J.-L. M. Abboud, R. Notario, M. Yáñez, O. Mó, R. Flammang, N. Jagerovic, I. Alkorta and J. Elguero 787

Forthcoming papers 796

NUMBER 11

REVIEW COMMENTARY

Artifacts in scanning near-field optical microscopy (SNOM) due to deficient tips
G. Kaupp, A. Herrmann and M. Haak 797

Cation radical chain cycloaddition polymerization: a fundamentally new polymerization mechanism
N. L. Bauld, D. Gao and T. Aplin 808

Influence of the substituent on the major decomposition channels of the NO_2 group in *para*-substituted nitrobenzenes: a tandem mass spectrometric study
T. B. Brill, K. J. James, R. Chawla, G. Nicol, A. Shukla and J. H. Futrell 819

Reactions of nucleophiles with 5-(alkoxy)thianthrenium ions
B. Liu, J. Shine and W. Zhao 827

Reactions of 1,ω-bis(2-bromopyridinium)alkanes with azide ions: charge effect and intermediates
Maria G. N. Corrêa, M. J. Politi and N. Hioka 837

Substituent effects on the solvolysis of 1,1-diphenyl-2,2,2-trifluoroethyl tosylates. Part III. Effects of electron-donating substituents in the fixed aryl moiety
M. Fujio, H.-J. Kim, H. Morimoto, S.-D. Yoh and Y. Tsuno 843

Stochastic conformational search of brefeldin A and experimental structures
M. Froimowitz, D. J. Gordon, A. Moussa, R. M. Haidar and C. George 858

Forthcoming papers 866

NUMBER 12

Electron transfer photochemistry of bridged allylcyclopropane systems: novel substitution products via deprotonation
D. Zhou, J. Chou and H. D. Roth 867

Hydrogen bonding and tautomerism of benzylideneanilines in solid state
D. Maciejewska, D. Pawlak and V. Koleva 875

Identification of photodegradants of droloxifene by combined HPLC–MS, NMR spectroscopy and computational chemistry
A. M. Campeta, F. Lombardo, T. R. Sharp, G. J. Horan and D. M. Rescek 881

Elimination in sulfobetaine micelles: effects of head group bulk
L. Brinchi, R. Germani, G. Savelli and C. A. Bunton 890

Structure and IR spectroscopic behaviour of 2,7-dichloro-1,8-bis(dimethylamino)naphthalene and its protonated form
T. Głowiak, I. Majerz, Z. Malarski, L. Sobczyk, A. F. Pozharskii, V. A. Ozeryanskii and E. Grech 895

Kinetic study of ruthenium(VI)-catalyzed oxidation of 2-propanol by alkaline hexacyanoferrate(III)
A. E. Mucientes, F. J. Poblete, M. A. Rodríguez and F. Santiago 901

Forthcoming papers 909